

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Hemp Derived Fatso Live Rosin

Sample ID: G3H0541-01

Matrix: Hemp Extracts & Concentrates

Test ID: 5023116 Source ID:

Date Sampled: 08/30/23

Date Accepted: 08/30/23

IJS Farm Inc. (800) 213-7064

Results at a Glance

Total CBD: <LOQ (0.0431%) %





Eric Wendt Chief Science Officer - 9/4/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Hemp Derived Fatso Live Rosin

Sample ID: G3H0541-01

Matrix: Hemp Extracts & Concentrates

Test ID: 5023116 Source ID:

Date Sampled: 08/30/23 Date Ad

Date Accepted: 08/30/23

IJS Farm Inc. (800) 213-7064

Potency Analysis by HPLC

Date/Time Extracted: 09/01/23 11:22 Analysis Method/SOP: 215 Batch Identification: 2335082

X / .					
Cannabino	ids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total C	BD	0.0431	< LOQ	< LOQ	
TH	ICA	0.0005	79.61	796.1	-4.8
delta 9-T	HC	0.0005	< LOQ	< LOQ	1.0
delta 8-T	HC	0.0934	< LOQ	< LOQ	
TH	ICV	0.1052	< LOQ	< LOQ	
THO	CVA	0.0392	< LOQ	< LOQ	
C	BD	0.0005	< LOQ	< LOQ	
СВ	DA	0.0005	< LOQ	< LOQ	
СВ	BDV	0.1040	< LOQ	< LOQ	
CBD	OVA	0.0341	< LOQ	< LOQ	■ THCA 79.6 ■ CBGA 4.8
C	BN	0.0622	< LOQ	< LOQ	Total: 84.4
C	BG	0.0164	< LOQ	< LOQ	
СВ	GA	0.0164	4.809	48.09	
C	ВС	0.0186	< LOQ	< LOQ	70.0
Total C	anna	binoids	84.42	844.2	79.6

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt Chief Science Officer - 9/4/2023

Page 2 of 4



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Quality Control Potency

Batch: 2335082 - 215-Concentrates

Blank(2335082-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		09/01/23 11:22	09/01/23 17:51	
delta 9-THC	< LOQ	0.0005	%		09/01/23 11:22	09/01/23 17:51	
delta 8-THC	< LOQ	0.0934	%		09/01/23 11:22	09/01/23 17:51	
THCV	< LOQ	0.1052	%		09/01/23 11:22	09/01/23 17:51	
THCVA	< LOQ	0.0392	%		09/01/23 11:22	09/01/23 17:51	
CBD	< LOQ	0.0005	%		09/01/23 11:22	09/01/23 17:51	
CBDA	< LOQ	0.0005	%		09/01/23 11:22	09/01/23 17:51	
CBDV	< LOQ	0.1040	%		09/01/23 11:22	09/01/23 17:51	
CBDVA	< LOQ	0.0341	%		09/01/23 11:22	09/01/23 17:51	
CBN	< LOQ	0.0622	%		09/01/23 11:22	09/01/23 17:51	
CBG	< LOQ	0.0164	%		09/01/23 11:22	09/01/23 17:51	
CBGA	< LOQ	0.0164	%		09/01/23 11:22	09/01/23 17:51	
CBC	< LOQ	0.0186	%		09/01/23 11:22	09/01/23 17:51	

Reference(2335082-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	99.7	0.0002	%	90-110	09/01/23 11:22	09/01/23 18:14	
delta 9-THC	101	0.0002	%	90-110	09/01/23 11:22	09/01/23 18:14	
delta 8-THC	98.4	0.0456	%	90-110	09/01/23 11:22	09/01/23 18:14	
CBD	98.9	0.0002	%	90-110	09/01/23 11:22	09/01/23 18:14	
CBDA	94.2	0.0002	%	90-110	09/01/23 11:22	09/01/23 18:14	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM BLI BLK	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery . Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL C	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



