

Quality Control Testing Official Report

Hemp Derived Banana Fire Breath Live Rosin

Sample ID: G4B0279-08Matrix: Hemp Extracts & ConcentratesTest ID: 5023948Source ID:

Date Sampled: 02/16/24

Date Accepted: 02/16/24

IJS Farm Inc. (800) 213-7064

Results at a Glance

Total THC: 68.48 %

Total CBD : <LOQ (0.0431%) %

THCA: 77.92 % PASS



Patrick Hermonson Quality Officer - 2/22/2024

Page 1 of 4



Quality Control Testing Official Report

Hemp Derived Banana Fire Breath Live Rosin

 Sample ID: G4B0279-08
 Ma

 Test ID: 5023948
 Source ID:

Date Sampled: 02/16/24

Matrix: Hemp Extracts & Concentrates

Date Accepted: 02/16/24

IJS Farm Inc. (800) 213-7064

Date/Time Extra				Analysis Method/SOP: 215 Batch Identification: 2408023
Cannabinoids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total THC	0.0005	68.48	684.8	
Total CBD	0.0431	< LOQ	< LOQ	
THCA	0.0005	77.92	779.2	
delta 9-THC	0.0005	0.1465	1.465	
delta 8-THC	0.0934	< LOQ	< LOQ	
THCV	0.1052	< LOQ	< LOQ	
THCVA	0.0392	< LOQ	< LOQ	
CBD	0.0005	< LOQ	< LOQ	
CBDA	0.0005	< LOQ	< LOQ	
CBDV	0.1040	< LOQ	< LOQ	THCA 77 delta 9-THC 0
CBDVA	0.0341	< LOQ	< LOQ	CBGA 3 Total: 81
CBN	0.0622	< LOQ	< LOQ	
CBG	0.0164	< LOQ	< LOQ	
CBGA	0.0164	3.130	31.3	77.9
CBC	0.0186	< LOQ	< LOQ	
Total Cannabinoids 81.20		812		

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878) LOQ=Limit of Quantification, the lowest measurable concentration of an analyte. THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Patrick Hermonson Quality Officer - 2/22/2024



Quality Control Potency

Batch: 2408023 - 215-Concentrates

Blank(2408023-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		02/20/24 12:09	02/20/24 22:29	
delta 9-THC	< LOQ	0.0005	%		02/20/24 12:09	02/20/24 22:29	
delta 8-THC	< LOQ	0.0934	%		02/20/24 12:09	02/20/24 22:29	
THCV	< LOQ	0.1052	%		02/20/24 12:09	02/20/24 22:29	
THCVA	< LOQ	0.0392	%		02/20/24 12:09	02/20/24 22:29	
CBD	< LOQ	0.0005	%		02/20/24 12:09	02/20/24 22:29	
CBDA	< LOQ	0.0005	%		02/20/24 12:09	02/20/24 22:29	
CBDV	< LOQ	0.1040	%		02/20/24 12:09	02/20/24 22:29	
CBDVA	< LOQ	0.0341	%		02/20/24 12:09	02/20/24 22:29	
CBN	< LOQ	0.0622	%		02/20/24 12:09	02/20/24 22:29	
CBG	< LOQ	0.0164	%		02/20/24 12:09	02/20/24 22:29	
CBGA	< LOQ	0.0164	%		02/20/24 12:09	02/20/24 22:29	
CBC	< LOQ	0.0186	%		02/20/24 12:09	02/20/24 22:29	

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	96.4	0.0002	%	90-110	02/20/24 12:09	02/20/24 22:52	
delta 9-THC	94.8	0.0002	%	90-110	02/20/24 12:09	02/20/24 22:52	
delta 8-THC	92.8	0.0455	%	90-110	02/20/24 12:09	02/20/24 22:52	
CBD	103	0.0002	%	90-110	02/20/24 12:09	02/20/24 22:52	
CBDA	98.0	0.0002	%	90-110	02/20/24 12:09	02/20/24 22:52	





Patrick Hermonson Quality Officer - 2/22/2024

Page 3 of 4



Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

- ATM Non-cannabis matrix related interference or suppression of Internal standard
- BLI Baseline Interference Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low Blank Spike recovery below lower method limit, analyte chromatography reviewed C manually for all samples.
- CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference Matrix spike source sample contains analyte hit above calibration affecting
- TPP recovery accuracy in Matrix Spike.
- U Matrix Spike Low Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



1.4

Patrick Hermonson Quality Officer - 2/22/2024