

CERTIFICATE OF ANALYSIS



Customer IJS Farm

Batch #: D10D-050324.1

Laboratory Number: ATL-21348

Report Issue Date: 5/24/2024

Order Date: 5/22/2024

Analysis Date: 5/23/2024

Sample Description:

D10 Distillate

Unit Weight: 1g



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/g	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/g	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	207.490	20.74
9S-D10-THC	<0.005	69.610	6.961
9R-D10-THC	<0.002	456.020	45.60

Analyte	LOQ (mg/g)	Results mg/g	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/g	%
N/D	N/D	N/D
Max Active CBD	mg/g	%
N/D	N/D	N/D

Total Active Cannabinoids	mg/g	%
733.12	73.31	
Total Cannabinoids	mg/g	%
733.12	73.31	

NOTES

Cannabidiol(CBD) Cannabidivarin(CBDV) Cannabidiolol Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiolol(CBD)
 Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)
 Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023



(954) 515 - 0200

info@accuratetestlab.com

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected LOQ: Limit of quantification